



Product Catalog
2026



TABLE OF CONTENTS

2 Testing Info

6 Kyorene®

14 Kyorene® Pro

30 Kyorene® Pro Food Safe

34 Kyorene Pro® Max

36 Taeki5®

41 Basetek®

48 Extraflex®

57 Chemiflex

57 Duty®

60 Perfotek®

60 Basetek® Plus

61 Extraflex® Plus

68 Sizing Chart

69 Index

GUIDE TO ANSI CUT LEVELS



200-499 Grams to Cut

Light Cut Hazards

APPLICATIONS:

Automotive Manufacturing, Light Manufacturing, Maintenance, Warehousing, Landscaping



3000-3999 Grams to Cut

High Cut Hazards

APPLICATIONS:

Metal Fabrication, Metal Stamping, Steel Processing, Steel Handling, Recycling



500-999 Grams to Cut

Light Cut Hazards

APPLICATIONS:

Automotive Manufacturing, Appliance Manufacturing, Sheet Metal Handling, Construction



4000-4999 Grams to Cut

High Cut Hazards

APPLICATIONS:

Metal Fabrication, Metal Stamping, Steel Processing, Steel Handling, Recycling



1000-1499 Grams to Cut

Light/Medium Cut Hazards

APPLICATIONS:

Automotive Manufacturing, Appliance Manufacturing, Metal Stamping, Sheet Metal Handling, Construction



5000-5999 Grams to Cut

High Cut Hazards

APPLICATIONS:

Pulp and Paper, Demolition, Construction



1500-2199 Grams to Cut

Medium Cut Hazards

APPLICATIONS:

Automotive Manufacturing, Appliance Manufacturing, Metal Stamping, Sheet Metal Handling, Construction, Extruded Plastics



6000+ Grams to Cut

High Cut Hazards

APPLICATIONS:

Pulp and Paper, Demolition, Construction



2200- 2999 Grams to Cut


Medium Cut Hazards

APPLICATIONS:

Automotive Manufacturing, Appliance Manufacturing, Metal Stamping, Sheet Metal Handling, Construction, Extruded Plastics

ANSI CUT LEVELS: A1, A2, A3, A4, A5, A6, A7, A8, A9

CHOOSING ANSI LEVELS




TDM-100 TEST

ANSI uses the TDM-100 to determine cut resistance

Glove is tested

Achieves score of A1 through A9 based on the gram score

Glove displays the ANSI Cut score



GUIDE TO EN388 CUT LEVELS

A

EN388



2 Newtons = 203 Grams to Cut

Light Cut Hazards

APPLICATIONS:
Automotive Manufacturing, Light Manufacturing, Maintenance, Warehousing, Landscaping

D

EN388



15 Newtons = 1529 Grams to Cut

Medium Cut Hazards

APPLICATIONS:
Automotive Manufacturing, Appliance Manufacturing, Metal Stamping, Sheet Metal Handling, Construction, Extruded Plastics

B

EN388



5 Newtons = 509 Grams to Cut

Light/Medium Cut Hazards

APPLICATIONS:
Automotive Manufacturing, Appliance Manufacturing, Sheet Metal Handling, Construction

E

EN388



22 Newtons = 2243 Grams to Cut

Medium/High Cut Hazards

APPLICATIONS:
Automotive Manufacturing, Appliance Manufacturing, Metal Fabrication, Metal Stamping, Sheet Metal Handling, Steel Handling, Steel Processing, Construction, Extruded plastics, Recycling

C

EN388



10 Newtons = 1019 Grams to Cut

Medium Cut Hazards

APPLICATIONS:
Automotive Manufacturing, Appliance Manufacturing, Metal Stamping, Sheet Metal Handling, Construction

F


EN388



30 Newtons = 3059 Grams to Cut

High Cut Hazards

APPLICATIONS:
Metal Fabrication, Metal Stamping, Steel Processing, Steel Handling, Recycling



Test Method:	ABRASION	CUT (Coup Test)	TEAR	PUNCTURE	CUT (TDM-100)	IMPACT PROTECTION	EN388
Example 1:	Level 2	Level 4	Level 3	Level 2	Level D	Passed	2 4 3 2 D P
Example 2:	Level 2	Level 2	Test not performed	Level 1 not achieved	Level E	Test not performed or not applicable	2 2 X X E
Example 3:	Level 2	Level 2	Level 1 not achieved	Level 2	Test not performed	Passed	2 2 X 2 X P

HEAT PROTECTION



HPPE will start to melt above 158° Fahrenheit
Taeki5: 13G & 15G: 302°F | 10G: 482°F | 7G: Up to 662°F

PERFORMANCE LEVELS	1	2	3	4
A. Burning Behavior (after flame & after glow time)	< 20s no requir.	< 10s < 120s	< 3s < 25s	< 2s < 5s
B. Contact Heat (cont. temp. & threshold time)	212° > 15s	482° > 15s	662° > 15s	932° > 15s
C. Convective Heat (heat transfer delay)	> 4s	> 7s	> 10s	> 18s
D. Radiant Heat (heat transfer delay)	> 7s	> 20s	> 50s	> 95s
E. Small Drops Molten Metal (number of drops)	> 10	> 15	> 25	> 35
F. Large Quantity Molten Metal (mass)	> 30g	> 60g	> 120g	> 200g

COLD PROTECTION



Protection against cold is expressed by a series of three performance levels. All gloves must achieve at least performance level 1 for abrasion and tear.

CONVECTIVE COLD (X - 4)

CONTACT COLD (X - 4)

WATER PERMEABILITY (0 or 1)

EN511



Resistance to **convective cold**
(performance level 0 to 4)
based on the thermal insulation
properties of the glove which
are obtained by measuring
the transfer of cold
via convection

A

Resistance to **contact cold**
(performance level 0 to 4)
based on the thermal resistance
of the glove material when
exposed to contact with
a cold object

B

Penetration by water (0 or 1)
0 = water penetration
1 = no water penetration

C

KYORENE®

ANSI Cut Level A1



00-001

ANSI/ISEA 105



EN388



4121A



UPF 100



STANDARD 100
SH200 126980
TESTEX



ATTRIBUTES:

- 15g Gray Kyorene® Graphene A1 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Touchscreen compatible

APPLICATIONS:

- Automotive manufacturing, light manufacturing, maintenance, warehousing, landscaping

GRAPHENE BENEFITS:

- Bacteriostatic kills harmful bacteria
- Thermal regulating to keep the hands comfortable
- Odor neutralizing to keep the gloves smelling fresh
- UV protection against UV-A and UV-B rays

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)



KYORENE®
GRAPHENE



VERIFIED GRAPHENE®
PRODUCER
THE GRAPHENE COUNCIL

KYORENE® GENERAL PURPOSE

KYORENE®

FEATURES:

- Touchscreen compatible
- Reinforced thumb crotch

GRAPHENE BENEFITS:

- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection



00-001RT

- 15g Gray Kyorene® Graphene A1 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Automotive manufacturing, light manufacturing, maintenance, warehousing, landscaping

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)



00-002

- 15g Gray Kyorene® Graphene A1 Liner
- Black HCT® MicroFoam Nitrile Knuckle Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Automotive manufacturing, light manufacturing, maintenance, warehousing, landscaping

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

KYORENE®

FEATURES:

- Touchscreen compatible
- Knuckle coating

GRAPHENE BENEFITS:

- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection



Dotted Palm



00-003

- 15g Gray Kyorene® Graphene A1 Liner
- Black HCT® MicroFoam Nitrile Palm Coating With Dots

ANSI/ISEA 105



EN388



APPLICATIONS:

- Automotive manufacturing, light manufacturing, maintenance, warehousing, landscaping

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

KYORENE®

FEATURES:

- Touchscreen compatible
- Dotted palm

GRAPHENE BENEFITS:

- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection

KYORENE® GENERAL PURPOSE

Dotted
Palm



00-004

- 15g Gray Kyorene® Graphene A1 Liner
- Black HCT® MicroFoam Nitrile Knuckle Coating With Dots

ANSI/ISEA 105



EN388



APPLICATIONS:

- Automotive manufacturing, light manufacturing, maintenance, warehousing, landscaping

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

KYORENE®

FEATURES:

- Touchscreen compatible
- Knuckle coating
- Dotted palm

GRAPHENE BENEFITS:

- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection



00-005

- 15g Gray Kyorene® Graphene A1 Liner
- Full Blue Nitrile Coating With Black HCT® MicroFoam Nitrile Knuckle Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Aerospace, automotive manufacturing, maintenance

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

KYORENE®

FEATURES:

- Touchscreen compatible
- Full nitrile coating

GRAPHENE BENEFITS:

- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection



00-020

- 15g Gray Kyorene® Graphene A1 Liner
- Black Polyurethane Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Automotive manufacturing, light manufacturing, maintenance, warehousing, landscaping

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

KYORENE®

FEATURES:

- Touchscreen compatible
- Reinforced thumb crotch

GRAPHENE BENEFITS:

- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection

KYORENE® ANSI CUT A2



00-200

- 15g Gray Kyorene® Graphene A2 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Automotive manufacturing, appliance manufacturing, sheet metal handling, construction



Sold by the dozen | Case quantity: 6DZ (all sizes: XS-3X)

KYORENE®

FEATURES:

- Touchscreen compatible
- Reinforced thumb crotch

GRAPHENE BENEFITS:

- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection



00-207

- 15g Gray Kyorene® Graphene A2 Liner

ANSI/ISEA 105



EN388



APPLICATIONS:

- Food processing



Sold by the dozen | Case quantity: 12DZ (all sizes: XS-2X)

KYORENE®

FEATURES:

- Touchscreen compatible
- Complies with FDA Food Handling Requirements (21 CFR 177.2600)

GRAPHENE BENEFITS:

- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection

KYORENE® ANSI CUT A3



00-300

- 13g Gray Kyorene® Graphene A3 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Automotive manufacturing, appliance manufacturing, metal stamping, sheet metal handling, construction



Sold by the dozen | Case quantity: 6DZ (all sizes: XS-3X)

KYORENE®

FEATURES:

- Touchscreen compatible
- Reinforced thumb crotch

GRAPHENE BENEFITS:

- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection

KYORENE® ANSI CUT A3



00-320

- 13g Gray Kyorene® Graphene A3 Liner
- Black Polyurethane Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Automotive manufacturing, appliance manufacturing, metal stamping, sheet metal handling, construction



Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

KYORENE®

FEATURES:

- Touchscreen compatible
- Reinforced thumb crotch

GRAPHENE BENEFITS:

- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection

KYORENE® ANSI CUT A4



00-420

- 13g Gray Kyorene® Graphene A4 Liner
- Black Polyurethane Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Automotive manufacturing, appliance manufacturing, metal stamping, sheet metal handling, construction, plastics, steel handling



Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

KYORENE®

FEATURES:

- Touchscreen compatible
- Reinforced thumb crotch

GRAPHENE BENEFITS:

- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection

00-450

- 13g Gray Kyorene® Graphene A4 Liner
- Black HCT® Nano-Foam Nitrile Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Automotive manufacturing, appliance manufacturing, metal stamping, sheet metal handling, construction, extruded plastics



Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

KYORENE®

FEATURES:

- Touchscreen compatible
- Reinforced thumb crotch

GRAPHENE BENEFITS:

- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection

KYORENE® ANSI CUT A6

00-600

- 13g Gray Kyorene® Graphene A6 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Metal fabrication, metal stamping, steel processing, steel handling, recycling

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-3X)

KYORENE®

FEATURES:

- Touchscreen compatible
- Reinforced thumb crotch

GRAPHENE BENEFITS:

- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection



00-602

- 13g Gray Kyorene® Graphene A6 Liner
- Black HCT® MicroFoam Nitrile Knuckle Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Metal fabrication, metal stamping, steel processing, steel handling, recycling

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

KYORENE®

FEATURES:

- Touchscreen compatible
- Knuckle coating
- Reinforced thumb crotch

GRAPHENE BENEFITS:

- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection



00-606

- 13g Gray Kyorene® Graphene A6 Liner
- Black Crinkle Latex Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Bottling, glass handling, heavy material handling

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

KYORENE®

FEATURES:

- Reinforced thumb crotch

GRAPHENE BENEFITS:

- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection



KYORENE® SLEEVES

00-014

- 14" Gray Kyorene® Graphene A4 Sleeve

ANSI/ISEA 105



EN388



APPLICATIONS:

- Light manufacturing, sheet metal handling, construction, food processing



Case quantity: 144EA (one size)

KYORENE®

FEATURES:

- Complies with FDA Food Handling Requirements (21 CFR 177.2600)

GRAPHENE BENEFITS:

- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection

00-014T

- 14" Gray Kyorene® Graphene A4 Sleeve With Thumb Hole

ANSI/ISEA 105



EN388



APPLICATIONS:

- Light manufacturing, sheet metal handling, construction, food processing



Case quantity: 144EA (one size)

KYORENE®

FEATURES:

- Complies with FDA Food Handling Requirements (21 CFR 177.2600)

GRAPHENE BENEFITS:

- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection

00-018

- 18" Gray Kyorene® Graphene A4 Sleeve

ANSI/ISEA 105



EN388



APPLICATIONS:

- Light manufacturing, sheet metal handling, construction, food processing



Case quantity: 144EA (one size)

KYORENE®


FEATURES:

- Complies with FDA Food Handling Requirements (21 CFR 177.2600)

GRAPHENE BENEFITS:

- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection

KYORENE® SLEEVES



00-018T

- 18" Gray Kyorene® Graphene A4 Sleeve With Thumb Hole

ANSI/ISEA 105



EN388



APPLICATIONS:

- Light manufacturing, sheet metal handling, construction, food processing



Case quantity: 144EA (one size)

KYORENE®

FEATURES:

- Complies with FDA Food Handling Requirements (21 CFR 177.2600)

GRAPHENE BENEFITS:

- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection



00-022

- 22" Gray Kyorene® Graphene A4 Sleeve

ANSI/ISEA 105



EN388



APPLICATIONS:

- Light manufacturing, sheet metal handling, construction, food processing



Case quantity: 144EA (one size)

KYORENE®

FEATURES:

- Complies with FDA Food Handling Requirements (21 CFR 177.2600)

GRAPHENE BENEFITS:

- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection



00-022T

- 22" Gray Kyorene® Graphene A4 Sleeve With Thumb Hole

ANSI/ISEA 105



EN388



APPLICATIONS:

- Light manufacturing, sheet metal handling, construction, food processing



Case quantity: 144EA (one size)

KYORENE®

FEATURES:

- Complies with FDA Food Handling Requirements (21 CFR 177.2600)

GRAPHENE BENEFITS:

- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection

KYORENE® PRO

ANSI Cut Level A1



ANSI/ISEA 105



EN388



4121A



00-810



UPF
100



STANDARD
100
SH20 126980
TESTEX



ATTRIBUTES:

- 18g Gray Kyorene® Pro Graphene A1 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Silicone free
- Touchscreen compatible
- Hi vis reinforced thumb crotch for extended wear
- Ergonomically shaped for superior fit
- Complies with FDA Food Handling Requirements (21 CFR 177.2600)

APPLICATIONS:

- Automotive manufacturing, light manufacturing, maintenance, warehousing, landscaping

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic kills harmful bacteria
- Thermal regulating to keep the hands comfortable
- Odor neutralizing to keep the gloves smelling fresh
- UV protection against UV-A and UV-B rays

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

KYORENE®
PRO GRAPHENE



KYORENE® PRO ANSI CUT A3



00-819WP

- 15g Gray Kyorene® Pro Graphene A2 Waterproof Liner With 7g Poly-Acrylic Lining
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



EN511



APPLICATIONS:

- Cold storage, fishing, outdoor winter work, landscaping

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

KYORENE® PRO

FEATURES:

- Silicone free
- Touchscreen compatible
- Hi vis reinforced thumb crotch
- Ergonomically shaped

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection



00-830

- 18g Gray Kyorene® Pro Graphene A3 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Automotive manufacturing, appliance manufacturing, metal stamping, sheet metal handling, handling extruded plastics, construction

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

KYORENE® PRO

FEATURES:

- Complies with FDA Food Handling Requirements (21 CFR 177.2600)
- Silicone free
- Touchscreen compatible
- Reinforced thumb crotch
- Ergonomically shaped

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection



00-836

- 18g, 100D Gray Kyorene® Pro Graphene A3 Liner
- Black HCT® Nano-Foam Nitrile Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Automotive manufacturing, appliance manufacturing, metal stamping, sheet metal handling, handling extruded plastics, construction

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

KYORENE® PRO

FEATURES:

- Silicone free
- Touchscreen compatible
- Reinforced thumb crotch
- Ergonomically shaped

GRAPHENE BENEFITS:


- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection

KYORENE® PRO

ANSI Cut Level A4



ANSI/ISEA 105




EN388



4X42D



00-840



ATTRIBUTES:

- 18g Gray Kyorene® Pro Graphene A4 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Silicone free
- Touchscreen compatible
- Reinforced thumb crotch for extended wear
- Ergonomically shaped for superior fit
- Complies with FDA Food Handling Requirements (21 CFR 177.2600)

APPLICATIONS:

- Automotive manufacturing, metal stamping, sheet metal handling, steel processing, construction

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic kills harmful bacteria
- Thermal regulating to keep the hands comfortable
- Odor neutralizing to keep the gloves smelling fresh
- UV protection against UV-A and UV-B rays

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-3X)

KYORENE®
PRO GRAPHENE



KYORENE® PRO ANSI CUT A4



00-840HV

- 18g Gray/Hi Vis Yellow Kyorene® Pro Graphene A4 Liner
- Hi Vis Yellow HCT® Lite Nitrile Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Automotive manufacturing, metal stamping, sheet metal handling, steel processing, construction

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

KYORENE® PRO

FEATURES:

- Complies with FDA Food Handling Requirements (21 CFR 177.2600)
- Silicone free
- Touchscreen compatible
- Reinforced thumb crotch
- Ergonomically shaped

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection



00-840VC

- 18g Gray Kyorene® Pro Graphene A4 Liner With Velcro Closure
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Automotive manufacturing, metal stamping, sheet metal handling, steel processing, construction

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

KYORENE® PRO

FEATURES:

- Silicone free
- Touchscreen compatible
- Reinforced thumb crotch
- Ergonomically shaped

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection



Dotted Palm

00-841

- 18g Gray Kyorene® Pro Graphene A4 Liner
- Black HCT® MicroFoam Nitrile Palm Coating With Dots

ANSI/ISEA 105



EN388



APPLICATIONS:

- Automotive manufacturing, metal stamping, sheet metal handling, steel processing, construction

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

KYORENE® PRO

FEATURES:

- Silicone free
- Touchscreen compatible
- Dotted palm
- Reinforced thumb crotch
- Ergonomically shaped

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection

KYORENE® PRO ANSI CUT A4



00-842

- 18g Gray Kyorene® Pro Graphene A4 Liner
- Black HCT® Nano-Foam Nitrile Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Automotive manufacturing, metal stamping, sheet metal handling, steel processing, construction

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

KYORENE® PRO

FEATURES:

- Silicone free
- Touchscreen compatible
- Reinforced thumb crotch
- Ergonomically shaped

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection



00-843

- 18g Gray Kyorene® Pro Graphene A4 Liner
- Black Polyurethane Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Automotive manufacturing, metal stamping, sheet metal handling, steel processing, construction

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

KYORENE® PRO

FEATURES:

- Silicone free
- Touchscreen compatible
- Reinforced thumb crotch
- Ergonomically shaped

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection



00-845

- 18g Gray Kyorene® Pro Graphene A4 Liner
- Full Blue Nitrile Coating With Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Aircraft maintenance, fluid handling, engine assembly, general handling & maintenance

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

KYORENE® PRO

FEATURES:

- Silicone free
- Touchscreen compatible
- Full nitrile coating
- Ergonomically shaped

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection

KYORENE® PRO ANSI CUT A4



00-847

- 18g Gray Kyorene® Pro Graphene A4 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Oil & gas, mining, construction

Sold by the dozen | Case quantity: 6DZ (all sizes: XS–2X)

KYORENE® PRO

FEATURES:

- Silicone free
- Touchscreen compatible
- Back of hand TPV protection
- Reinforced thumb crotch
- Ergonomically shaped

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection



00-847VC

- 18g Gray Kyorene® Pro Graphene A4 Liner With Velcro Closure
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Oil & gas, mining, construction

Sold by the dozen | Case quantity: 6DZ (all sizes: XS–2X)

KYORENE® PRO

FEATURES:

- Silicone free
- Touchscreen compatible
- Back of hand TPV protection
- Reinforced thumb crotch
- Ergonomically shaped

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection



00-849

- 18g Gray Kyorene® Pro Graphene A4 Liner With 7g Poly-Acrylic Lining & Velcro Closure
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Construction, cold storage, outdoor winter work, landscaping

Sold by the dozen | Case quantity: 6DZ (all sizes: XS–2X)

KYORENE® PRO

FEATURES:

- Silicone free
- Touchscreen compatible
- Reinforced thumb crotch
- Ergonomically shaped

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection

KYORENE® PRO ANSI CUT A4

00-849WP

- 18g Gray Kyorene® Pro Graphene A4 Waterproof Liner With 7g Poly-Acrylic Lining & Velcro Closure
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



EN511



APPLICATIONS:

- Construction, cold storage, outdoor winter work, landscaping

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

KYORENE® PRO

FEATURES:

- Silicone free
- Touchscreen compatible
- Reinforced thumb crotch
- Ergonomically shaped

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection



KYORENE® PRO ANSI CUT A5



00-850

- 15g Gray Kyorene® Pro Graphene A5 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



TOUCH
SCREEN

APPLICATIONS:

- Automotive manufacturing, metal stamping, sheet metal handling, steel processing, construction



Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

KYORENE® PRO

FEATURES:

- Silicone free
- Touchscreen compatible
- Reinforced thumb crotch
- Ergonomically shaped

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection



00-853

- 15g Gray Kyorene® Pro Graphene A5 Liner
- Black Polyurethane Palm Coating

ANSI/ISEA 105



EN388



TOUCH
SCREEN

APPLICATIONS:

- Automotive manufacturing, metal stamping, sheet metal handling, plastics



Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

KYORENE® PRO

FEATURES:

- Silicone free
- Touchscreen compatible
- Reinforced thumb crotch
- Ergonomically shaped

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection



00-857

- 15g Gray Kyorene® Pro Graphene A5 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



TOUCH
SCREEN

APPLICATIONS:

- Oil & gas, mining, construction



Sold by the dozen | Case quantity: 6DZ (all sizes: XS-3X)

KYORENE® PRO

FEATURES:

- Silicone free
- Touchscreen compatible
- Back of hand TPV protection
- Reinforced thumb crotch
- Ergonomically shaped

GRAPHENE BENEFITS:


- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection

KYORENE® PRO

ANSI Cut Level A6



ANSI/ISEA 105



EN388



4X32F



00-860



UPF
100



STANDARD
100
SH20 126980
TESTEX



ATTRIBUTES:

- 18g Gray Kyorene® Pro Graphene A6 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Silicone free
- Touchscreen compatible
- Reinforced thumb crotch for extended wear
- Ergonomically shaped for superior fit

APPLICATIONS:

- Metal fabrication, metal stamping, steel processing, steel handling, recycling

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic kills harmful bacteria
- Thermal regulating to keep the hands comfortable
- Odor neutralizing to keep the gloves smelling fresh
- UV protection against UV-A and UV-B rays

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

KYORENE®
PRO GRAPHENE



KYORENE® PRO ANSI CUT A6



00-863

- 18g Gray Kyorene® Pro Graphene A6 Liner
- Black Polyurethane Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Automotive manufacturing, metal fabrication, steel processing, construction

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)



KYORENE® PRO

FEATURES:

- Silicone free
- Touchscreen compatible
- Reinforced thumb crotch
- Ergonomically shaped

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection



00-867

- 18g Gray Kyorene® Pro Graphene A6 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Oil & gas, mining, construction

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)



KYORENE® PRO

FEATURES:

- Silicone free
- Touchscreen compatible
- Back of hand TPV protection
- Reinforced thumb crotch
- Ergonomically shaped

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection



00-869

- 18g Gray Kyorene® Pro Graphene A6 Liner With 7g Poly-Acrylic Lining & Velcro Closure
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



EN511



APPLICATIONS:

- Construction, cold storage, outdoor winter work, landscaping

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)



KYORENE® PRO

FEATURES:

- Silicone free
- Touchscreen compatible
- Reinforced thumb crotch
- Ergonomically shaped

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection

KYORENE® PRO ANSI CUT A6



00-869WP

- 18g Gray Kyorene® Pro Graphene A6 Waterproof Liner With 7g Poly-Acrylic Lining & Velcro Closure
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



EN511



APPLICATIONS:

- Construction, cold storage, outdoor winter work, landscaping

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

KYORENE® PRO

FEATURES:

- Silicone free
- Touchscreen compatible
- Reinforced thumb crotch
- Ergonomically shaped

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection

KYORENE® PRO ANSI CUT A7



00-870

- 18g Gray Kyorene® Pro Graphene A7 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Metal fabrication, steel processing, recycling, glass manufacturing, construction

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

KYORENE® PRO

FEATURES:

- Silicone free
- Touchscreen compatible
- Reinforced thumb crotch
- Ergonomically shaped

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection

00-877

- 18g Gray Kyorene® Pro Graphene A7 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Oil & gas, mining, construction

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

KYORENE® PRO

FEATURES:

- Silicone free
- Touchscreen compatible
- Back of hand TPV protection
- Reinforced thumb crotch
- Ergonomically shaped

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection

KYORENE® PRO ANSI CUT A8

00-880

- 18g Gray Kyorene® Pro Graphene A8 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Metal fabrication, steel processing, recycling, glass manufacturing, construction

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

KYORENE® PRO

FEATURES:

- Silicone free
- Touchscreen compatible
- Reinforced thumb crotch
- Ergonomically shaped

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection



00-887

- 18g Gray Kyorene® Pro Graphene A8 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Oil & gas, mining, construction

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

KYORENE® PRO

FEATURES:

- Silicone free
- Touchscreen compatible
- Back of hand TPV protection
- Reinforced thumb crotch
- Ergonomically shaped

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection




KYORENE® PRO

ANSI Cut Level A9



ANSI/ISEA 105



EN388



4X43F



TOUCH
SCREEN

00-890



UPF
100



STANDARD
100
SH2012/2018
TESTEX



ATTRIBUTES:

- 18g Gray Kyorene® Pro Graphene A9 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Silicone free
- Touchscreen compatible
- Reinforced thumb crotch for extended wear
- Ergonomically shaped for superior fit

APPLICATIONS:

- Metal fabrication, steel processing, recycling, glass manufacturing

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic kills harmful bacteria
- Thermal regulating to keep the hands comfortable
- Odor neutralizing to keep the gloves smelling fresh
- UV protection against UV-A and UV-B rays

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-XXL)

KYORENE®
PRO GRAPHENE



KYORENE® PRO ANSI CUT A9



00-897

- 18g Gray Kyorene® Pro Graphene A9 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Oil & gas, mining, construction



Sold by the dozen | Case quantity: 6DZ (all sizes: XS-XXXL)

KYORENE® PRO

FEATURES:

- Silicone free
- Touchscreen compatible
- Back of hand TPV protection
- Reinforced thumb crotch
- Ergonomically shaped

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection



21-890

- 21g Gray Kyorene® Pro Graphene A9 Liner
- Soft Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Metal fabrication, steel processing, glass manufacturing, recycling



Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

KYORENE® PRO

FEATURES:

- Silicone free
- Touchscreen compatible
- Reinforced thumb crotch
- Ergonomically shaped

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection



21-893

- 21g Gray Kyorene® Pro Graphene A9 Liner
- Soft Gray Polyurethane Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Automotive manufacturing, metal fabrication, steel processing, construction



Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

KYORENE® PRO

FEATURES:

- Silicone free
- Touchscreen compatible
- Reinforced thumb crotch
- Ergonomically shaped

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection

KYORENE® PRO SLEEVES



00-801

· 18" Gray Kyorene® Pro Graphene A6 Sleeve

ANSI/ISEA 105



EN388



APPLICATIONS:

- Metal fabrication, metal stamping, steel processing, glass handling



Case quantity: 144EA (one size)


KYORENE® PRO

FEATURES:

- Silicone free

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection



00-801T

· 18" Gray Kyorene® Pro Graphene A6 Sleeve
With Thumb Hole

ANSI/ISEA 105



EN388



APPLICATIONS:

- Metal fabrication, metal stamping, steel processing, glass handling



Case quantity: 144EA (one size)


KYORENE® PRO

FEATURES:

- Silicone free

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection



00-802T

· 21" Gray Kyorene® Pro Graphene A6 Sleeve
With Thumb Hole

ANSI/ISEA 105



EN388



APPLICATIONS:

- Metal fabrication, metal stamping, steel processing, glass handling



Case quantity: 144EA (one size)

KYORENE® PRO

FEATURES:

- Silicone free

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection

KYORENE® PRO SLEEVES



00-802TVC

- 21" Gray Kyorene® Pro Graphene A6 Sleeve With Thumb Hole & Elastic Velcro Closure on Bicep

ANSI/ISEA 105



EN388



APPLICATIONS:

- Metal fabrication, metal stamping, steel processing, glass handling

Case quantity: 144EA (one size)

KYORENE® PRO

FEATURES:

- Silicone free

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection



00-802VC

- 21" Gray Kyorene® Pro Graphene A6 Sleeve With Elastic Velcro Closure on Bicep

ANSI/ISEA 105



EN388



APPLICATIONS:

- Metal fabrication, metal stamping, steel processing, glass handling

Case quantity: 144EA (one size)

KYORENE® PRO

FEATURES:

- Silicone free

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection



00-803TVC

- 18g, 18" Gray Kyorene® Pro Graphene A6 Sleeve With Thumb Hole, V-Slot & Elastic Velcro Closure on Bicep

ANSI/ISEA 105



EN388



APPLICATIONS:

- Appliance manufacturing, automotive manufacturing, HVAC/sheet metal, construction, steel handling

Case quantity: 144EA (one size)

KYORENE® PRO

FEATURES:

- Silicone free

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection

KYORENE® PRO SLEEVES

00-804TVC

- 18g, 18" Gray Kyorene® Pro Graphene A9 Sleeve With Thumb Hole, V-Slot & Elastic Velcro Closure on Bicep

ANSI/ISEA 105



EN388



APPLICATIONS:

- Appliance manufacturing, automotive manufacturing, HVAC/sheet metal, construction, steel handling

Case quantity: 144EA (one size)

KYORENE® PRO

FEATURES:

- Silicone free

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection



KYORENE® PRO FOOD PROCESSING

20-049

- 15g Gray Kyorene® Pro Graphene A4 Liner

ANSI/ISEA 105



EN388



APPLICATIONS:

- Food processing

**These gloves are ambidextrous*

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

KYORENE® PRO



FEATURES:

- Complies with FDA Food Handling Requirements (21 CFR 177.2600)
- Silicone free
- Ergonomically shaped

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection



20-059

- 15g Gray Kyorene® Pro Graphene A5 Liner

ANSI/ISEA 105



EN388



APPLICATIONS:

- Food processing

**These gloves are ambidextrous*

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

KYORENE® PRO



FEATURES:

- Complies with FDA Food Handling Requirements (21 CFR 177.2600)
- Silicone free
- Ergonomically shaped

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection



KYORENE® PRO FOOD PROCESSING



20-069

· 15g Gray Kyorene® Pro Graphene A6 Liner

ANSI/ISEA 105



EN388



APPLICATIONS:

· Food processing

**These gloves are ambidextrous*

Sold by the dozen | Case quantity: 6DZ (all sizes: XS–2X)



KYORENE® PRO

FOOD SAFE

FEATURES:

- Complies with FDA Food Handling Requirements (21 CFR 177.2600)
- Silicone free
- Ergonomically shaped

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection



20-089

· 15g Gray Kyorene® Pro Graphene A8 Liner

ANSI/ISEA 105



EN388



APPLICATIONS:

· Food processing

**These gloves are ambidextrous*

Sold by the dozen | Case quantity: 6DZ (all sizes: XS–2X)



KYORENE® PRO

FOOD SAFE

FEATURES:

- Complies with FDA Food Handling Requirements (21 CFR 177.2600)
- Silicone free
- Ergonomically shaped

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection



20-099

· 15g Gray Kyorene® Pro Graphene A9 Liner

ANSI/ISEA 105



EN388



APPLICATIONS:

· Food processing

**These gloves are ambidextrous*

Sold by the dozen | Case quantity: 6DZ (all sizes: XS–2X)



KYORENE® PRO

FOOD SAFE

FEATURES:

- Complies with FDA Food Handling Requirements (21 CFR 177.2600)
- Silicone free
- Ergonomically shaped

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection

KYORENE® PRO FOOD PROCESSING



20-149

· 15g Gray Kyorene® Pro Graphene A4 Liner

ANSI/ISEA 105



EN388



APPLICATIONS:

· Food processing

**These gloves are ambidextrous*



Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

KYORENE® PRO



FEATURES:

- Complies with FDA Food Handling Requirements (21 CFR 177.2600)
- Silicone free
- Ergonomically shaped

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection



20-159

· 15g Gray Kyorene® Pro Graphene A5 Liner

ANSI/ISEA 105



EN388



APPLICATIONS:

· Food processing

**These gloves are ambidextrous*



Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

KYORENE® PRO



FEATURES:

- Complies with FDA Food Handling Requirements (21 CFR 177.2600)
- Silicone free
- Ergonomically shaped

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection



20-169

· 15g Gray Kyorene® Pro Graphene A6 Liner

ANSI/ISEA 105



EN388



APPLICATIONS:

· Food processing

**These gloves are ambidextrous*



Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

KYORENE® PRO



FEATURES:

- Complies with FDA Food Handling Requirements (21 CFR 177.2600)
- Silicone free
- Ergonomically shaped

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection

KYORENE® PRO FOOD PROCESSING

KYORENE® PRO

FOOD SAFE

20-189

· 15g Gray Kyorene® Pro Graphene A8 Liner

ANSI/ISEA 105



EN388



APPLICATIONS:

· Food processing

**These gloves are ambidextrous*

Sold by the dozen | Case quantity: 6DZ (all sizes: XS–2X)

FEATURES:

- Complies with FDA Food Handling Requirements (21 CFR 177.2600)
- Silicone free
- Ergonomically shaped

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection



20-199

· 15g Gray Kyorene® Pro Graphene A9 Liner

ANSI/ISEA 105



EN388



APPLICATIONS:

· Food processing

**These gloves are ambidextrous*

Sold by the dozen | Case quantity: 6DZ (all sizes: XS–2X)

KYORENE® PRO

FOOD SAFE

FEATURES:

- Complies with FDA Food Handling Requirements (21 CFR 177.2600)
- Silicone free
- Ergonomically shaped

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic
- Thermal regulating
- Odor neutralizing
- UV protection



KYORENE® PRO MAX

ANSI Cut Level A4



ANSI/ISEA 105



EN388



4X42D



24-840



UPF
100



STANDARD
100
SH20 126980
TESTEX



ATTRIBUTES:

- **24g** Gray Kyorene Pro® Max Graphene A4 Liner
- Soft Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Silicone free
- Touchscreen compatible
- Reinforced thumb crotch for extended wear
- Ergonomically shaped for superior fit

APPLICATIONS:

- Automotive manufacturing, metal stamping, sheet metal handling, steel processing, construction

GRAPHENE BENEFITS:

- No stainless steel or fiberglass
- Bacteriostatic kills harmful bacteria
- Thermal regulating to keep the hands comfortable
- Odor neutralizing to keep the gloves smelling fresh
- UV protection against UV-A and UV-B rays

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

KYORENE
PRO® MAX



VERIFIED GRAPHENE®
PRODUCER
THE GRAPHENE COUNCIL

KYORENE® PRO MAX

ANSI Cut Level A4



ANSI/ISEA 105



EN388



3X42D



TOUCH
SCREEN

24-843



UPF
100



ATTRIBUTES:

- **24g** Gray Kyorene Pro® Max Graphene A4 Liner
- Soft Gray Polyurethane Palm Coating

FEATURES:

- Silicone free
- Touchscreen compatible
- Reinforced thumb crotch for extended wear
- Ergonomically shaped for superior fit

APPLICATIONS:

- Automotive manufacturing, metal stamping, sheet metal handling, steel processing, construction

GRAPHENE BENEFITS:


- No stainless steel or fiberglass
- Bacteriostatic kills harmful bacteria
- Thermal regulating to keep the hands comfortable
- Odor neutralizing to keep the gloves smelling fresh
- UV protection against UV-A and UV-B rays

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

KYORENE
PRO® MAX



TAEKI5® ANSI CUT A2



01-017

- 13g Yellow Taeki5® A2 Liner

ANSI/ISEA 105



EN388



4X4XB

EN407



X1XXXX

APPLICATIONS:

- Steel processing, sheet metal handling, metal stamping, automotive manufacturing

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

TAEKI5®

FEATURES:

- Moderate heat resistance

TAEKI5® ANSI CUT A4



01-006

- 10g Yellow Taeki5® A4 Liner
- Sewn on Leather Palm With Reinforced Thumb Crotch

ANSI/ISEA 105



EN388



4X44D

EN407



X2XXXX

APPLICATIONS:

- Steel processing, sheet metal handling, metal stamping

Sold by the dozen | Case quantity: 5DZ (all sizes: S-2X)

TAEKI5®

FEATURES:

- Moderate heat resistance

01-020



- 10g Yellow Taeki5® A4 Liner
- Sewn on Leather Palm

ANSI/ISEA 105



EN388



4X44D

EN407



X2XXXX

APPLICATIONS:

- Steel processing, sheet metal handling, metal stamping

Sold by the dozen | Case quantity: 5DZ (all sizes: S-2X)

TAEKI5®

FEATURES:

- Moderate heat resistance

TAEKI5® ANSI CUT A4



01-027N

- 13g Blue Taeki5® A4 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



EN407



APPLICATIONS:

- Assembly, metal stamping, sheet metal handling, plastics, construction

Sold by the dozen | Case quantity: 10DZ (all sizes: XS-2X)

TAEKI5®

FEATURES:

- Light heat resistance
- Moisture wicking

TAEKI5® SLEEVES



01-015

- 14" Hi Vis Yellow Taeki5® A4 Sleeve

ANSI/ISEA 105



EN388



EN407



APPLICATIONS:

- Automotive assembly, light manufacturing, sheet metal handling, construction, recycling

Case quantity: 144EA (one size)

TAEKI5®

FEATURES:

- Single ply
- Light heat resistance
- Moisture wicking
- Lint free



01-019

- 18" Hi Vis Yellow Taeki5® A4 Sleeve

ANSI/ISEA 105



EN388



EN407



APPLICATIONS:

- Automotive assembly, light manufacturing, sheet metal handling, construction, recycling

Case quantity: 144EA (one size)

TAEKI5®

FEATURES:

- Single ply
- Light heat resistance
- Moisture wicking
- Lint free

TAEKI5®

ANSI Cut Level A4



01-019T

ANSI/ISEA 105



EN388



444XD

EN407



X1XXXX



ATTRIBUTES:

- 18" Hi Vis Yellow Taeki5® A4 Sleeve With Thumb Hole

FEATURES:

- Single ply
- Light heat resistance
- Moisture wicking
- Lint free

APPLICATIONS:

- Automotive assembly, light manufacturing, sheet metal handling, construction, recycling



Case quantity: 144EA (one size)

TAEKI5

Advanced Composite Fiber

TAEKI5® SLEEVES



01-019TVC

- 18" Hi Vis Yellow Taeki5® A4 Sleeve With Thumb Hole & Elastic Velcro Closure on Bicep

ANSI/ISEA 105



EN388



EN407



APPLICATIONS:

- Automotive assembly, light manufacturing, sheet metal handling, construction, recycling

Case quantity: 144EA (one size)

TAEKI5®

FEATURES:

- Single ply
- Light heat resistance
- Moisture wicking
- Lint free



01-019VC

- 18" Hi Vis Yellow Taeki5® A4 Sleeve With Elastic Velcro Closure on Bicep

ANSI/ISEA 105



EN388



EN407



APPLICATIONS:

- Automotive assembly, light manufacturing, sheet metal handling, construction, recycling

Case quantity: 144EA (one size)

TAEKI5®

FEATURES:

- Single ply
- Light heat resistance
- Moisture wicking
- Lint free



01-021

- 22" Yellow Taeki5® A4 Sleeve With Finger Tracks, Thumb Hole & Alligator Clip

ANSI/ISEA 105



EN388



EN407



APPLICATIONS:

- Automotive assembly, light manufacturing, sheet metal handling, construction, recycling

Case quantity: 144EA (one size)

TAEKI5®

FEATURES:

- Single ply
- Light heat resistance
- Moisture wicking
- Lint free

TAEKI5® SLEEVES

01-022T

- 22" Hi Vis Yellow Taeki5® A4 Sleeve With Thumb Hole

ANSI/ISEA 105



EN388



EN407



APPLICATIONS:

- Automotive assembly, light manufacturing, sheet metal handling, construction, recycling



Case quantity: 144EA (one size)

TAEKI5®

FEATURES:

- Single ply
- Light heat resistance
- Moisture wicking
- Lint free

01-022TVC

- 22" Hi Vis Yellow Taeki5® A4 Sleeve With Thumb Hole, V-Slot & Elastic Velcro Closure on Bicep

ANSI/ISEA 105



EN388



EN407



APPLICATIONS:

- Automotive assembly, light manufacturing, sheet metal handling, construction, recycling



Case quantity: 24EA (one size)

TAEKI5®

FEATURES:

- Single ply
- Light heat resistance
- Moisture wicking
- Lint free

01-032

- 24" Hi Vis Yellow Taeki5® A4 Sleeve

ANSI/ISEA 105



EN388



EN407



APPLICATIONS:

- Automotive assembly, light manufacturing, sheet metal handling, construction, recycling



Case quantity: 144EA (one size)

TAEKI5®

FEATURES:

- Single ply
- Light heat resistance
- Moisture wicking
- Lint free

BASETEK®

ANSI Cut Level A2



ANSI/ISEA 105



EN388



4242B

02-008



ATTRIBUTES:

- 13g Salt & Pepper HDPE Basetek® A2 Liner
- Gray Polyurethane Palm Coating

FEATURES:

- Positive grip in dry and light oil environments

Sold by the dozen | Case quantity: 12DZ (all sizes: XS-2X)

APPLICATIONS:

- Appliance manufacturing, sheet metal handling, automotive manufacturing, construction, small parts assembly



Innovative Fiber Technology

BASETEK®

ANSI Cut Level A3



ANSI/ISEA 105



EN388



4442C

02-013HH



ATTRIBUTES:

- 13g Salt & Pepper HDPE Basetek® A3 Liner
- Gray Polyurethane Palm Coating

FEATURES:

- Positive grip in dry and light oil environments

Sold by the dozen | Case quantity: 12DZ (all sizes: XXS-3X)

APPLICATIONS:

- Automotive manufacturing, light manufacturing, sheet metal handling, metal stamping, construction



Innovative Fiber Technology

BASETEK® ANSI CUT A3



02-023

- 13g Salt & Pepper HDPE Basetek® A3 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



4442C

APPLICATIONS:

- Automotive manufacturing, sheet metal handling, light manufacturing, metal stamping, construction

Sold by the dozen | Case quantity: 12DZ (all sizes: XS-2X)

BASETEK®

FEATURES:

- Enhanced grip in oily & greasy environments



02-030N

- 13g Salt & Pepper HDPE Basetek® A3 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



4342



APPLICATIONS:

- Construction, oil & gas, mining

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

BASETEK®

FEATURES:

- Back of hand TPV protection
- Padded gel palm

BASETEK® ANSI CUT A4



02-014

- 13g Green HDPE Basetek® A4 Liner
- Black Polyurethane Palm Coating

ANSI/ISEA 105



EN388



4444D

APPLICATIONS:

- Automotive manufacturing, metal stamping, steel handling, construction, recycling

Sold by the dozen | Case quantity: 12DZ (all sizes: XS-3X)

BASETEK®

FEATURES:

- Positive grip in dry & light oil environments

BASETEK® ANSI CUT A4



02-024

- 13g Green HDPE Basetek® A4 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



4444D

APPLICATIONS:

- Automotive manufacturing, metal stamping, steel handling, construction, recycling

Sold by the dozen | Case quantity: 12DZ (all sizes: XS-2X)

BASETEK®

FEATURES:

- Enhanced grip in oily & greasy environments



02-028HH

- 13g Salt & Pepper HDPE Basetek® A4 Liner
- Gray Polyurethane Palm Coating

ANSI/ISEA 105



EN388



4X41D

APPLICATIONS:

- Automotive manufacturing, metal stamping, steel handling, construction, recycling

Sold by the dozen | Case quantity: 12DZ (all sizes: XS-2X)

BASETEK®

FEATURES:

- Positive grip in dry & light oil environments

HAMMER HEAD 4®



02-040

- 13g Salt & Pepper HDPE Basetek® A4 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



4544



APPLICATIONS:

- Construction, oil & gas, mining

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

BASETEK®

FEATURES:

- Back of hand TPV protection
- Padded gel palm

BASETEK® ANSI CUT A5



02-027

- 13g Blue HDPE Basetek® A5 Liner

ANSI/ISEA 105



APPLICATIONS:

- Food processing



Sold by the dozen | Case quantity: 10DZ (all sizes: XS-2X)

BASETEK®

FEATURES:

- Comfortable seamless liner
- Complies with FDA Food Handling Requirements (21 CFR 177.2600)



02-029HH

- 13g Salt & Pepper HDPE Basetek® A5 Liner
- Gray Polyurethane Palm Coating

ANSI/ISEA 105



APPLICATIONS:

- Automotive manufacturing, metal stamping, steel handling, construction, recycling



Sold by the dozen | Case quantity: 12DZ (all sizes: XS-2X)

BASETEK®

FEATURES:

- Positive grip in dry & light oil environments



BASETEK® ANSI CUT A6



02-015

- 13g Blue HDPE Basetek® A6 Liner
- Black Polyurethane Palm Coating

ANSI/ISEA 105



APPLICATIONS:

- Automotive manufacturing, metal stamping, steel handling, construction, recycling



Sold by the dozen | Case quantity: 12DZ (all sizes: XXS-2X)

BASETEK®

FEATURES:

- Positive grip in dry & light oil environments

BASETEK® ANSI CUT A6

02-025

- 13g Blue HDPE Basetek® A6 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Automotive manufacturing, metal stamping, steel handling, construction, recycling

Sold by the dozen | Case quantity: 12DZ (all sizes: XS-3X)

BASETEK®

FEATURES:

- Enhanced grip in oily & greasy environments



BASETEK® SLEEVES

02-060

- 18" Black HDPE Basetek® A3 Sleeve

ANSI/ISEA 105



EN388



APPLICATIONS:

- Appliance manufacturing, automotive manufacturing, HVAC/sheet metal, construction, steel handling

Case quantity: 144EA (one size)

BASETEK®

FEATURES:

- Seamless design offers optimal fit
- Black color hides dirt improving longevity



02-060T

- 18" Black HDPE Basetek® A3 Sleeve With Thumb Hole

ANSI/ISEA 105



EN388



APPLICATIONS:


- Appliance manufacturing, automotive manufacturing, HVAC/sheet metal, construction, steel handling


Case quantity: 144EA (one size)

BASETEK®

FEATURES:

- Seamless design offers optimal fit
- Black color hides dirt improving longevity





02-061T

- 20" Black HDPE Basetek® A3 Sleeve With Thumb Hole

ANSI/ISEA 105



EN388



APPLICATIONS:

- Appliance manufacturing, automotive manufacturing, HVAC/sheet metal, construction, steel handling




Case quantity: 144EA (one size)

BASETEK®

FEATURES:

- Seamless design offers optimal fit
- Black color hides dirt improving longevity



02-062T

- 22" Black HDPE Basetek® A3 Sleeve With Thumb Hole

ANSI/ISEA 105



EN388



APPLICATIONS:

- Appliance manufacturing, automotive manufacturing, HVAC/sheet metal, construction, steel handling




Case quantity: 144EA (one size)

BASETEK®

FEATURES:

- Seamless design offers optimal fit
- Black color hides dirt improving longevity



V-Slot Cuff



02-063T

- 18" Black HDPE Basetek® A3 Sleeve With Thumb Hole & V-Slot

ANSI/ISEA 105



EN388



APPLICATIONS:

- Appliance manufacturing, automotive manufacturing, HVAC/sheet metal, construction, steel handling



Case quantity: 144EA (one size)

BASETEK®

FEATURES:


- Seamless design offers optimal fit
- Black color hides dirt improving longevity

EXTRAFLEX®

General Purpose



ANSI/ISEA 105



EN388



4131

04-001



ATTRIBUTES:

- 15g Gray Nylon Extraflex® Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Enhanced grip and abrasion resistance
- Breathable coating for superior comfort

APPLICATIONS:

- General assembly, automotive assembly, light manufacturing, maintenance, warehousing, landscaping

Sold by the dozen | Case quantity: 10DZ (all sizes: XS-2X)

EXTRAFLEX®

EXTRAFLEX® GENERAL PURPOSE



04-002

- 15g Gray Nylon Extraflex® Liner
- Black HCT® MicroFoam Nitrile Knuckle Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- General assembly, automotive assembly, light manufacturing, maintenance, warehousing, landscaping

Sold by the dozen | Case quantity: 10DZ (all sizes: XS-2X)

EXTRAFLEX®

FEATURES:

- Knuckle coating for added back of hand liquid resistance
- Enhanced grip & abrasion resistance
- Breathable coating for superior comfort



Dotted Palm



04-005

- 15g Gray Nylon Extraflex® Liner
- Black HCT® MicroFoam Nitrile Knuckle Coating With Dots

ANSI/ISEA 105



EN388



APPLICATIONS:

- General assembly, automotive assembly, light manufacturing, maintenance, warehousing, landscaping

Sold by the dozen | Case quantity: 10DZ (all sizes: XS-2X)

EXTRAFLEX®

FEATURES:

- Dotted palm for added grip
- Knuckle coating for added back of hand liquid resistance
- Enhanced grip & abrasion resistance
- Breathable coating for superior comfort



Dotted Palm



04-007

- 15g Gray Nylon Extraflex® Liner
- Black HCT® MicroFoam Nitrile Palm Coating With Dots

ANSI/ISEA 105



EN388



APPLICATIONS:

- General assembly, automotive assembly, light manufacturing, maintenance, warehousing, landscaping

Sold by the dozen | Case quantity: 10DZ (all sizes: XS-2X)

EXTRAFLEX®

FEATURES:

- Dotted palm for added grip
- Enhanced grip & abrasion resistance
- Breathable coating for superior comfort

EXTRAFLEX® ANSI CUT A2



04-250

- 18g Green Engineered Extraflex® A2 Liner
- Black HCT® Nano-Foam Nitrile Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Automotive manufacturing, sheet metal handling, small parts assembly, construction

Sold by the dozen | Case quantity: 10DZ (all sizes: XS–2X)

EXTRAFLEX®

FEATURES:

- Reinforced thumb crotch
- Nano-foam coating provides unparalleled dexterity & tactile sensitivity
- Excellent dry grip

EXTRAFLEX® ANSI CUT A3



04-011

- 13g Hi Vis Yellow Nylon Extraflex® Liner With 7g Poly-Acrylic Lining
- Black HCT® MicroFoam Latex Palm Coating

ANSI/ISEA 105



EN388



EN511



APPLICATIONS:

- Cold storage, fishing, outdoor winter work, landscaping

Sold by the dozen | Case quantity: 8DZ (all sizes: M–2X)

EXTRAFLEX®

FEATURES:

- Excellent abrasion resistance & wet grip
- Breathable coating for superior comfort

04-012



- 13g Hi Vis Yellow Nylon Extraflex® Liner With 7g Poly-Acrylic Lining
- Black HCT® MicroFoam Latex Knuckle Coating

ANSI/ISEA 105



EN388



EN511



APPLICATIONS:

- Cold storage, fishing, outdoor winter work, landscaping

Sold by the dozen | Case quantity: 8DZ (all sizes: M–2X)

EXTRAFLEX®

FEATURES:

- Knuckle coating for added back of hand liquid resistance
- Excellent abrasion resistance & wet grip
- Breathable coating for superior comfort

EXTRAFLEX® ANSI CUT A3

04-200

- 18g Hi Vis Yellow Engineered Extraflex® A3 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Appliance manufacturing, automotive manufacturing, light manufacturing, HVAC/sheet metal, steel handling

EXTRAFLEX®

FEATURES:

- Reinforced thumb crotch
- Microfoam coating ensures excellent oil grip
- Hi vis liner for added visibility



Sold by the dozen | Case quantity: 10DZ (all sizes: XS-2X)




EXTRAFLEX®

ANSI Cut Level A3



ANSI/ISEA 105



EN388



4442C

04-300MTN



ATTRIBUTES:

- 13g Light Blue Engineered Extraflex® A3 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Reinforced thumb crotch
- Microfoam coating ensures excellent oil grip

Sold by the dozen | Case quantity: 10DZ (all sizes: XXS-3X)

APPLICATIONS:

- Automotive manufacturing, light manufacturing, sheet metal handling, metal stamping, construction



EXTRAFLEX®

EXTRAFLEX® ANSI CUT A3



04-300HV

- 13g Hi Vis Yellow Engineered Extraflex® A3 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Automotive manufacturing, light manufacturing, sheet metal handling, metal stamping, construction

Sold by the dozen | Case quantity: 10DZ (all sizes: XS-2X)

EXTRAFLEX®

FEATURES:

- Reinforced thumb crotch
- Microfoam coating ensures excellent oil grip
- Hi vis liner for added visibility



04-350

- 13g Dark Blue Engineered Extraflex® A3 Liner
- Black HCT® Nano-Foam Nitrile Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Automotive manufacturing, sheet metal handling, construction, metal stamping, glass handling

Sold by the dozen | Case quantity: 10DZ (all sizes: XS-2X)

EXTRAFLEX®

FEATURES:

- Reinforced thumb crotch
- Nano-foam coating provides unparalleled dexterity & tactile sensitivity
- Excellent dry grip



Dotted Palm



04-367

- 13g Dark Blue Engineered Extraflex® A3 Liner
- Black HCT® Lite Nitrile Palm Coating With Dots

ANSI/ISEA 105



EN388



APPLICATIONS:

- Automotive manufacturing, sheet metal handling, construction, metal stamping, glass handling

Sold by the dozen | Case quantity: 10DZ (all sizes: S-2X)

EXTRAFLEX®

FEATURES:

- Reinforced thumb crotch
- HCT® Lite coating provides unparalleled dexterity & tactile sensitivity
- Excellent dry grip

EXTRAFLEX® ANSI CUT A4



04-311

- 13g Light Blue Engineered Extraflex® A4 Liner With 7g Poly-Acrylic Lining
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



EN511



APPLICATIONS:

- Construction, cold storage, outdoor winter work, landscaping

Sold by the dozen | Case quantity: 6DZ (all sizes: S-3X)

EXTRAFLEX®

FEATURES:

- Reinforced thumb crotch
- Excellent abrasion resistance & wet grip
- Breathable coating for superior comfort



04-312

- 13g Light Blue Engineered Extraflex® A4 Liner With 7g Poly-Acrylic Lining
- Black HCT® MicroFoam Nitrile Knuckle Coating

ANSI/ISEA 105



EN388



EN511



APPLICATIONS:

- Construction, cold storage, outdoor winter work, landscaping

Sold by the dozen | Case quantity: 6DZ (all sizes: S-3X)

EXTRAFLEX®

FEATURES:

- Knuckle coating for added back of hand liquid resistance
- Reinforced thumb crotch
- Excellent abrasion resistance & wet grip
- Breathable coating for superior comfort



04-314

- 13g Light Blue Engineered Extraflex® A4 Liner With 7g Poly-Acrylic Lining
- Black HCT® MicroFoam Nitrile Knuckle Coating

ANSI/ISEA 105



EN388



EN511



APPLICATIONS:

- Cold storage, fishing, outdoor winter work, landscaping

Sold by the dozen | Case quantity: 6DZ (all sizes: M-2X)

EXTRAFLEX®

FEATURES:

- Back of hand TPV protection
- Knuckle coating for added back of hand liquid resistance
- Reinforced thumb crotch
- Excellent abrasion resistance & wet grip

EXTRAFLEX® ANSI CUT A4



04-321

- 13g Hi Vis Yellow Engineered Extraflex® A4 Liner With 7g Poly-Acrylic Lining
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



EN511



APPLICATIONS:

- Construction, cold storage, outdoor winter work, landscaping

Sold by the dozen | Case quantity: 6DZ (all sizes: S-XXXL)

EXTRAFLEX®

FEATURES:

- Reinforced thumb crotch
- Excellent abrasion resistance & wet grip
- Breathable coating for superior comfort



04-322

- 13g Hi Vis Yellow Engineered Extraflex® A4 Liner With 7g Poly-Acrylic Lining
- Black HCT® MicroFoam Nitrile Knuckle Coating

ANSI/ISEA 105



EN388



EN511



APPLICATIONS:

- Construction, cold storage, outdoor winter work, landscaping

Sold by the dozen | Case quantity: 6DZ (all sizes: S-2X)

EXTRAFLEX®

FEATURES:

- Knuckle coating for added back of hand liquid resistance
- Reinforced thumb crotch
- Excellent abrasion resistance & wet grip
- Breathable coating for superior comfort



04-400MTN

- 13g Orange Engineered Extraflex® A4 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Automotive manufacturing, metal stamping, construction, sheet metal handling, steel processing

Sold by the dozen | Case quantity: 10DZ (all sizes: XS-3X)

EXTRAFLEX®

FEATURES:

- Reinforced thumb crotch
- Microfoam coating ensures excellent oil grip



EXTRAFLEX® ANSI CUT A4



04-420HV

- 15g Hi Vis Yellow Engineered Extraflex® A4 Liner
- Black Polyurethane Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Automotive manufacturing, metal stamping, construction, sheet metal handling, steel processing

Sold by the dozen | Case quantity: 10DZ (all sizes: XS-2X)

EXTRAFLEX®

FEATURES:

- Reinforced thumb crotch
- Touchscreen compatible



EXTRAFLEX® ANSI CUT A5



04-500MTN

- 13g Black Engineered Extraflex® A5 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Metal fabrication, metal stamping, steel processing, steel handling, recycling

Sold by the dozen | Case quantity: 10DZ (all sizes: XS-2X)

EXTRAFLEX®

FEATURES:

- Reinforced thumb crotch
- Microfoam coating ensures excellent oil grip
- Black color hides dirt improving glove longevity



04-545



- 15g Hi Vis Yellow Engineered Extraflex® A5 Liner With 7g Poly-Acrylic Lining
- Full Smooth Black Nitrile Coating With Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



EN511



APPLICATIONS:

- Construction, cold storage, outdoor winter work, landscaping

Sold by the dozen | Case quantity: 6DZ (all sizes: S-3X)

EXTRAFLEX®

FEATURES:

- Full coating for added back of hand liquid resistance
- Reinforced thumb crotch
- Excellent abrasion resistance & wet grip
- Breathable coating for superior comfort

EXTRAFLEX® ANSI CUT A5



04-550

- 18g Dark Gray Engineered Extraflex® A5 Liner
- Black HCT® Nano-Foam Nitrile Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Automotive manufacturing, sheet metal handling, construction, metal stamping, glass handling

Sold by the dozen | Case quantity: 10DZ (all sizes: XS-2X)

EXTRAFLEX®

FEATURES:

- Reinforced thumb crotch
- Nano-foam coating provides unparalleled dexterity & tactile sensitivity
- Excellent dry grip

CHEMIFLEX® CHEMICAL RESISTANCE



05-003

- 13" 15MIL Flock Lined
- Green Nitrile Coating



APPLICATIONS:

- Chemical processing, food processing, machining, printing press operations, oil & gas, petrochemicals

Sold by the dozen | Case quantity: 12DZ (all sizes: XS-2X)

CHEMIFLEX®

FEATURES:

- Diamond pattern for enhanced grip
- Complies with FDA Food Handling Requirements (21 CFR 177.2600)

DUTY GENERAL PURPOSE



06-007

- 13g Dark Gray Nylon Liner
- Smooth Black Nitrile Palm Coating



APPLICATIONS:

- Light manufacturing, landscaping, maintenance, warehousing

Sold by the dozen | Case quantity: 10DZ (all sizes: XS-2X)

DUTY

FEATURES:

- Excellent grip in dry environments

DUTY GENERAL PURPOSE



06-008

- 13g White Nylon Liner
- Gray Foam Nitrile Palm Coating



APPLICATIONS:

- General assembly, light manufacturing, maintenance, warehousing

Sold by the dozen | Case quantity: 10DZ (all sizes: XS-2X)

DUTY

FEATURES:

- Optimal oil grip



06-009

- 13g Gray Polyester Liner
- Black HCT® MicroFoam Nitrile Palm Coating



APPLICATIONS:

- General assembly, light manufacturing, warehousing, construction, landscaping, maintenance

Sold by the dozen | Case quantity: 10DZ (all sizes: S-XL)

DUTY

FEATURES:

- Lightweight
- Good oil grip
- Good dexterity



06-012

- 13g Black Nylon Liner
- Black Polyurethane Palm Coating



APPLICATIONS:

- General assembly, inspection, quality control, light manufacturing

Sold by the dozen | Case quantity: 12DZ (all sizes: XS-2X)

DUTY

FEATURES:

- Excellent dexterity & optimal tactile sensitivity

DUTY GENERAL PURPOSE

DUTY



06-018-14

- White Interlock Lining
- Black PVC Coating; 14" Length



APPLICATIONS:

- Oil & gas, petrochemicals

FEATURES:

- N/A

Sold by the dozen | Case quantity: 6DZ (sizes: XL)



06-019

- 10g Gray Cotton/Polyester Liner
- Blue Crinkle Latex Palm Coating



APPLICATIONS:

- Material handling, construction, landscaping, recycling, trash handling

FEATURES:

- Enhanced abrasion resistance & positive grip

Sold by the dozen | Case quantity: 10DZ (all sizes: S-2X)

DUTY



06-021

- 13g Black Nylon Liner
- Black Crinkle Latex Palm Coating



APPLICATIONS:

- Construction, general assembly, material handling, landscaping

FEATURES:

- Enhanced abrasion resistance & positive grip

Sold by the dozen | Case quantity: 10DZ (all sizes: S-2X)

DUTY

PERFOTEK® PUNCTURE RESISTANCE



07-002

- 13g Dark Blue HDPE Liner With Puncture Resistant Fingertips
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



PALM

ANSI/ISEA 105



BACK OF HAND

ANSI/ASTM



F2878

EN388



4X44F

APPLICATIONS:

- Recycling, trash handling, mining, steel manufacturing, wood handling

Sold by the dozen | Case quantity: 5DZ (all sizes: S-2X)

PERFOTEK®

FEATURES:

- Reinforced thumb crotch
- ANSI A9 cut resistance: palm side (palm, palm-side fingers, palm-side thumb)
- ANSI/ASTM F2878 level 4 puncture resistance: palm side (palm, palm-side fingers, palm-side thumb, fingertips)
- ANSI A4 cut resistance: back of hand, wrist

BASETEK® PLUS ANSI CUT A4



12-400

- 18g Gray Basetek® Plus A4 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



4

EN388



4X43D



TOUCH SCREEN

APPLICATIONS:

- Automotive manufacturing, metal stamping, construction, sheet metal handling, steel processing

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

BASETEK® PLUS

FEATURES:

- Touchscreen compatible
- Reinforced thumb crotch
- Microfoam coating ensures excellent oil grip

12-420

- 18g Gray Basetek® Plus A4 Liner
- Gray Polyurethane Palm Coating

ANSI/ISEA 105



6

EN388



4X43D



TOUCH SCREEN

APPLICATIONS:

- Automotive manufacturing, metal stamping, construction, sheet metal handling, steel processing

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

BASETEK® PLUS

FEATURES:

- Touchscreen compatible
- Reinforced thumb crotch

BASETEK® PLUS ANSI CUT A6



12-600

- 18g Gray Basetek® Plus A6 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Metal fabrication, metal stamping, steel processing, steel handling, recycling

Sold by the dozen | Case quantity: 6DZ (all sizes: XS–2X)

BASETEK® PLUS

FEATURES:

- Touchscreen compatible
- Reinforced thumb crotch
- Microfoam coating ensures excellent oil grip



12-620

- 18g Gray Basetek® Plus A6 Liner
- Gray Polyurethane Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Metal fabrication, metal stamping, steel processing, steel handling, recycling

Sold by the dozen | Case quantity: 6DZ (all sizes: XS–XXL)

BASETEK® PLUS

FEATURES:

- Touchscreen compatible
- Reinforced thumb crotch

EXTRAFLEX® PLUS GENERAL PURPOSE



14-001HV

- 15g Hi Vis Yellow Nylon Liner
- Hi Vis Yellow HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- General assembly, automotive assembly, light manufacturing, maintenance, warehousing, landscaping

Sold by the dozen | Case quantity: 6DZ (all sizes: XS–2X)

EXTRAFLEX® PLUS+

FEATURES:

- Hi vis liner & coating for added visibility
- Touchscreen compatible
- Enhanced grip & abrasion resistance
- Breathable coating for superior comfort

EXTRAFLEX® PLUS GENERAL PURPOSE



14-007HV

- 15g Hi Vis Yellow Nylon Liner
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Oil & gas, mining, construction

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

EXTRAFLEX® PLUS+

FEATURES:

- Hi vis liner for added visibility
- Back of hand TPV protection
- Touchscreen compatible
- Reinforced thumb crotch
- Enhanced grip & abrasion resistance
- Breathable coating for superior comfort

EXTRAFLEX® PLUS ANSI CUT A3



14-300

- 18g Blue Extraflex® Plus A3 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Automotive manufacturing, sheet metal handling, light manufacturing, metal stamping, construction

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

EXTRAFLEX® PLUS+

FEATURES:

- Reinforced thumb crotch
- Touchscreen compatible
- Microfoam coating ensures excellent oil grip



EXTRAFLEX® PLUS

ANSI Cut Level A4



ANSI/ISEA 105



EN388



4444D



TOUCH
SCREEN

14-400

ATTRIBUTES:

- 18g Black Extraflex® Plus A4 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

FEATURES:

- Reinforced thumb crotch
- Touchscreen compatible
- Microfoam coating ensures excellent oil grip

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

APPLICATIONS:

- Automotive manufacturing, metal stamping, construction, sheet metal handling, steel processing



EXTRAFLEX® PLUS+

EXTRAFLEX® PLUS ANSI CUT A4

14-420

- 18g Black Extraflex® Plus A4 Liner
- Black Polyurethane Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Automotive manufacturing, metal stamping, construction, sheet metal handling, steel processing

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

EXTRAFLEX® PLUS+

FEATURES:

- Reinforced thumb crotch
- Touchscreen compatible

EXTRAFLEX® PLUS ANSI CUT A5

14-500

- 15g Hi Vis Yellow Extraflex® Plus A5 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Metal fabrication, metal stamping, steel processing, steel handling, recycling

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

EXTRAFLEX® PLUS+

FEATURES:

- Reinforced thumb crotch
- Touchscreen compatible
- Microfoam coating ensures excellent oil grip

14-520

- 15g Hi Vis Yellow Extraflex® Plus A5 Liner
- Black Polyurethane Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Metal fabrication, metal stamping, steel processing, steel handling, recycling

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

EXTRAFLEX® PLUS+

FEATURES:

- Reinforced thumb crotch
- Touchscreen compatible

EXTRAFLEX® PLUS ANSI CUT A6

14-600

- 15g Red Extraflex® Plus A6 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Metal fabrication, metal stamping, steel processing, steel handling, recycling

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

EXTRAFLEX® PLUS+

FEATURES:

- Reinforced thumb crotch
- Touchscreen compatible
- Microfoam coating ensures excellent oil grip



14-620

- 18g Red Extraflex® Plus A6 Liner
- Black Polyurethane Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Metal fabrication, metal stamping, steel processing, steel handling, recycling

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

EXTRAFLEX® PLUS+

FEATURES:

- Reinforced thumb crotch
- Touchscreen compatible

EXTRAFLEX® PLUS ANSI CUT A7

14-700

- 15g Orange Extraflex® Plus A7 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Automotive manufacturing, metal fabrication, steel processing, recycling, glass handling

Sold by the dozen | Case quantity: 6DZ (all sizes: XS-2X)

EXTRAFLEX® PLUS+

FEATURES:

- Reinforced thumb crotch
- Touchscreen compatible
- Excellent dry & oil grip



EXTRAFLEX® PLUS ANSI CUT A7

14-720

- 18g Orange Extraflex® Plus A7 Liner
- Black Polyurethane Palm Coating

ANSI/ISEA 105



EN388



APPLICATIONS:

- Automotive manufacturing, metal fabrication, steel processing, recycling, glass handling

Sold by the dozen | Case quantity: 6DZ (all sizes: XS–2X)

EXTRAFLEX® PLUS+

FEATURES:

- Reinforced thumb crotch
- Touchscreen compatible

EXTRAFLEX® PLUS SLEEVES

14-406TVC

- 18g, 18" Black Extraflex® Plus A4 Sleeve With Thumb Hole, V-Slot & Elastic Velcro Closure on Bicep

ANSI/ISEA 105



EN388



APPLICATIONS:

- Appliance manufacturing, automotive manufacturing, HVAC/sheet metal, construction, steel handling

Case quantity: 144EA (one size)

EXTRAFLEX® PLUS+

FEATURES:

- Elasticized v-slot with velcro closure accommodates a wide range of wearers
- Dark color hides dirt

14-606TVC

- 18g, 18" Black Extraflex® Plus A6 Sleeve With Thumb Hole, V-Slot & Elastic Velcro Closure on Bicep

ANSI/ISEA 105



EN388



APPLICATIONS:

- Appliance manufacturing, automotive manufacturing, HVAC/sheet metal, construction, steel handling

Case quantity: 144EA (one size)

EXTRAFLEX® PLUS+

FEATURES:

- Elasticized v-slot with velcro closure accommodates a wide range of wearers
- Hi vis color for added visibility





· GLOVE SIZING GUIDE ·

To determine the size of glove that best fits you, measure the circumference of your dominant hand just below your knuckles. The measurement, in inches, determines what glove size you wear. The different cuff colors represent the size of the glove.



GLOVE SIZE	XS	S	M	L	XL	XXL	XXXL
HAND MEASUREMENT	6"	7"	8"	9"	10"	11"	12"

CUFF COLOR IDENTIFIES GLOVE SIZE

STYLE	AG PART #	ANSI CUT	ANSI ABR	EN388	SIZES	RANGE	PAGE
	00-001	A1	6	4121A	XS-2X	Kyorene®	6
	00-001RT	A1	6	4121A	XS-2X	Kyorene®	7
	00-002	A1	6	4121A	XS-2X	Kyorene®	7
	00-003	A1	6	4121A	XS-2X	Kyorene®	7
	00-004	A1	6	4121A	XS-2X	Kyorene®	8
	00-005	A1	6	4142A	XS-2X	Kyorene®	8
	00-014*	A4	4	344XC	One Size	Kyorene®	12
	00-014T*	A4	4	344XC	One Size	Kyorene®	12
	00-018*	A4	4	344XC	One Size	Kyorene®	12
	00-018T*	A4	4	344XC	One Size	Kyorene®	13
	00-020	A1	4	4131A	XS-2X	Kyorene®	8
	00-022*	A4	4	344XC	One Size	Kyorene®	13
	00-022T*	A4	4	344XC	One Size	Kyorene®	13
	00-200	A2	4	4242B	XS-3X	Kyorene®	9
	00-207	A2	4	213XA	XS-2X	Kyorene®	9
	00-300	A3	4	4442C	XS-3X	Kyorene®	9
	00-320	A3	4	4442B	XS-2X	Kyorene®	10
	00-420	A4	4	4442D	XS-2X	Kyorene®	10
	00-450	A4	4	4442D	XS-2X	Kyorene®	10
	00-600	A6	6	4X42F	XS-3X	Kyorene®	11
	00-602	A6	6	4X42F	XS-2X	Kyorene®	11
	00-606	A6	5	4X42F	XS-2X	Kyorene®	11
	00-801*	A6	4	254XF	One Size	Kyorene® Pro	28
	00-801T*	A6	4	254XF	One Size	Kyorene® Pro	28
	00-802T*	A6	4	254XF	One Size	Kyorene® Pro	28
	00-802TVC*	A6	4	254XF	One Size	Kyorene® Pro	29
	00-802VC*	A6	4	254XF	One Size	Kyorene® Pro	29
	00-803TVC*	A6	3	2X4XF	One Size	Kyorene® Pro	29
	00-804TVC*	A9	6	2X4XF	One Size	Kyorene® Pro	30
	00-810	A1	6	4121A	XS-2X	Kyorene® Pro	14
  	00-819WP	A2	6	4X22B	XS-2X	Kyorene® Pro	15
	00-830	A3	5	4342C	XS-2X	Kyorene® Pro	15
	00-836	A3	5	4331C	XS-2X	Kyorene® Pro	15
	00-840	A4	5	4X42D	XS-3X	Kyorene® Pro	16
	00-840HV	A4	3	4X43D	XS-2X	Kyorene® Pro	17
	00-840VC	A4	5	4X42D	XS-2X	Kyorene® Pro	17
	00-841	A4	5	4X42D	XS-2X	Kyorene® Pro	17
	00-842	A4	5	4X42D	XS-2X	Kyorene® Pro	18
	00-843	A4	5	4X42D	XS-2X	Kyorene® Pro	18
	00-845	A4	5	4X43D	XS-2X	Kyorene® Pro	18
 	00-847	A4	5	4X42D	XS-2X	Kyorene® Pro	19
 	00-847VC	A4	5	4X42D	XS-2X	Kyorene® Pro	19
 	00-849	A4	6	4X43E	XS-2X	Kyorene® Pro	19
  	00-849WP	A4	6	4X43E	XS-2X	Kyorene® Pro	20
	00-850	A5	5	4443E	XS-2X	Kyorene® Pro	21
	00-853	A5	5	4443E	XS-2X	Kyorene® Pro	21
 	00-857	A5	5	4443E	XS-3X	Kyorene® Pro	21

Symbols Key



= Cut Resistant



= Waterproof



= Chemical Resistant

* = Sleeve



= Impact Resistant



= Heat Resistant



= Puncture Resistant



= General Purpose



= Cold Resistant



= Food Safe (FDA Compliant)

STYLE	AG PART #	ANSI CUT	ANSI ABR	EN388	SIZES	RANGE	PAGE
	00-860	A6	5	4X32F	XS-2X	Kyorene® Pro	22
	00-863	A6	4	4X32F	XS-2X	Kyorene® Pro	23
	00-867	A6	5	4X32F	XS-2X	Kyorene® Pro	23
	00-869	A6	6	4X43F	XS-2X	Kyorene® Pro	23
	00-869WP	A6	6	4X43F	XS-2X	Kyorene® Pro	24
	00-870	A7	6	4X42F	XS-2X	Kyorene® Pro	24
	00-877	A7	6	4X42F	XS-2X	Kyorene® Pro	24
	00-880	A8	6	4X43F	XS-2X	Kyorene® Pro	25
	00-887	A8	6	4X43F	XS-2X	Kyorene® Pro	25
	00-890	A9	5	4X43F	XS-2X	Kyorene® Pro	26
	00-897	A9	5	4X43F	XS-3X	Kyorene® Pro	27
	21-890	A9	6	4X43F	XS-2X	Kyorene® Pro	27
	21-893	A9	6	3X42F	XS-2X	Kyorene® Pro	27
	20-049	A4	6	2X4XD	XS-2X	Kyorene® Pro - Food Safe	30
	20-059	A5	6	2X4XE	XS-2X	Kyorene® Pro - Food Safe	30
	20-069	A6	5	2X4XF	XS-2X	Kyorene® Pro - Food Safe	31
	20-089	A8	5	2X42F	XS-2X	Kyorene® Pro - Food Safe	31
	20-099	A9	6	2X4XF	XS-2X	Kyorene® Pro - Food Safe	31
	20-149	A4	6	2X4XD	XS-2X	Kyorene® Pro - Food Safe	32
	20-159	A5	6	2X4XE	XS-2X	Kyorene® Pro - Food Safe	32
	20-169	A6	5	2X4XF	XS-2X	Kyorene® Pro - Food Safe	32
	20-189	A8	5	2X42F	XS-2X	Kyorene® Pro - Food Safe	33
	20-199	A9	6	2X4XF	XS-2X	Kyorene® Pro - Food Safe	33
	24-840	A4	4	4X42D	XS-2X	Kyorene Pro® Max	34
	24-843	A4	4	3X42D	XS-2X	Kyorene Pro® Max	35
	01-006	A4	N/A	4X44D	S-2X	Taeki5®	36
	01-015*	A4	N/A	444XD	One Size	Taeki5®	37
	01-017	A2	N/A	4X4XB	XS-2X	Taeki5®	36
	01-019*	A4	N/A	444XD	One Size	Taeki5®	37
	01-019T*	A4	N/A	444XD	One Size	Taeki5®	38
	01-019TVC*	A4	N/A	444XD	One Size	Taeki5®	39
	01-019VC*	A4	N/A	444XD	One Size	Taeki5®	39
	01-020	A4	N/A	4X44D	S-2X	Taeki5®	36
	01-021*	A4	N/A	444XD	One Size	Taeki5®	39
	01-022T*	A4	N/A	444XD	One Size	Taeki5®	40
	01-022TVC*	A4	N/A	3X4XD	One Size	Taeki5®	40
	01-027N	A4	N/A	4442D	XS-2X	Taeki5®	37
	01-032*	A4	N/A	444XD	One Size	Taeki5®	40
	02-008	A2	N/A	4242B	XS-2X	Basetek®	41
	02-013HH	A3	N/A	4442C	XXS-3X	Basetek®	42
	02-014	A4	N/A	4444D	XS-3X	Basetek®	43
	02-015	A6	N/A	4X44E	XXS-2X	Basetek®	45
	02-023	A3	N/A	4442C	XS-2X	Basetek®	43
	02-024	A4	N/A	4444D	XS-2X	Basetek®	44
	02-025	A6	N/A	4X44E	XS-3X	Basetek®	46
	02-027	A5	N/A	444XF	XS-2X	Basetek®	45
	02-028HH	A4	3	4X41D	XS-2X	Basetek®	44
	02-029HH	A5	2	4X42E	XS-2X	Basetek®	45
	02-030N	A3	N/A	4342	XS-2X	Basetek®	43
	02-040	A4	N/A	4544	XS-2X	Basetek®	44
	02-060*	A3	N/A	344XC	One Size	Basetek®	46
	02-060T*	A3	N/A	344XC	One Size	Basetek®	46
	02-061T*	A3	N/A	344XC	One Size	Basetek®	47
	02-062T*	A3	N/A	344XC	One Size	Basetek®	47

STYLE	AG PART #	ANSI CUT	ANSI ABR	EN388	SIZES	RANGE	PAGE
	02-063T*	A3	N/A	344XC	One Size	Basetek®	47
	04-001	A1	3	4131	XS-2X	Extraflex®	48
	04-002	A1	3	4131	XS-2X	Extraflex®	49
	04-005	A1	3	4131	XS-2X	Extraflex®	49
	04-007	A1	3	4131	XS-2X	Extraflex®	49
	04-011	A3	3	2243	M-2X	Extraflex®	50
	04-012	A3	3	2243	M-2X	Extraflex®	50
	04-200	A3	N/A	4232B	XS-2X	Extraflex®	51
	04-250	A2	N/A	4232B	XS-2X	Extraflex®	50
	04-300MTN	A3	3	4442C	XXS-3X	Extraflex®	52
	04-300HV	A3	3	4442C	XS-2X	Extraflex®	53
	04-311	A4	N/A	4443D	S-3X	Extraflex®	54
	04-312	A4	N/A	4443D	S-3X	Extraflex®	54
	04-314	A4	N/A	4443D	M-2X	Extraflex®	54
	04-321	A4	N/A	4443D	S-3X	Extraflex®	55
	04-322	A4	N/A	4443D	S-2X	Extraflex®	55
	04-350	A3	N/A	4442C	XS-2X	Extraflex®	53
	04-367	A3	N/A	4442C	S-2X	Extraflex®	53
	04-400MTN	A4	N/A	4442D	XS-3X	Extraflex®	55
	04-420HV	A4	N/A	4442D	XS-2X	Extraflex®	56
	04-500MTN	A5	N/A	4X43E	XS-2X	Extraflex®	56
	04-545	A5	N/A	4443E	S-3X	Extraflex®	56
	04-550	A5	4	4342E	XS-2X	Extraflex®	57
	05-003	N/A	N/A	3101X	XS-2X	Chemiflex®	57
	06-007	N/A	N/A	4131	XS-2X	Duty	57
	06-008	N/A	N/A	4121	XS-2X	Duty	58
	06-009	N/A	N/A	4121	S-XL	Duty	58
	06-012	N/A	N/A	4131	XS-2X	Duty	58
	06-018-14	N/A	N/A	4121	XL	Duty	59
	06-019	N/A	N/A	2143	S-2X	Duty	59
	06-021	N/A	N/A	2121	S-2X	Duty	59
	07-002	A9, A4	N/A	4X44F	S-2X	Perfotek®	60
	12-400	A4	4	4X43D	XS-2X	Basetek® Plus	60
	12-420	A4	6	4X43D	XS-2X	Basetek® Plus	60
	12-600	A6	4	4X42F	XS-2X	Basetek® Plus	61
	12-620	A6	4	4X42F	XS-2X	Basetek® Plus	61
	14-001HV	A1	3	4131	XS-2X	Extraflex® Plus	61
	14-007HV	A1	3	4131	XS-2X	Extraflex® Plus	62
	14-300	A3	4	4X42C	XS-2X	Extraflex® Plus	62
	14-400	A4	6	4444D	XS-2X	Extraflex® Plus	63
	14-406TVC*	A4	4	2X4XD	One Size	Extraflex® Plus	66
	14-420	A4	6	4444D	XS-2X	Extraflex® Plus	64
	14-500	A5	5	4444E	XS-2X	Extraflex® Plus	64
	14-520	A5	5	4444E	XS-2X	Extraflex® Plus	64
	14-600	A6	4	4X44F	XS-2X	Extraflex® Plus	65
	14-606TVC*	A6	4	2X4XF	One Size	Extraflex® Plus	66
	14-620	A6	4	4X44F	XS-2X	Extraflex® Plus	65
	14-700	A7	4	4X44F	XS-2X	Extraflex® Plus	65
	14-720	A7	4	4X44F	XS-2X	Extraflex® Plus	66



ARMOR GUYS

www.armorguys.com

contact@armorguys.com
Phone: 1 (310) 504-1380
Customer Service: 1 (877) 293-0709

10990 Wilshire Blvd.
Suite 1410
Los Angeles, CA 90024